



## CHEMICAL ANALYSIS OF SUMMER HONEYS COLLECTED FROM APIS DORSATA HIVES OF WARORA TAHSIL OF CHANDRAPUR DISTRICT OF MAHARASHTRA STATE (INDIA)

Borkar Laxmikant<sup>1\*</sup> and Mate Devendra<sup>2</sup>

<sup>1</sup>Department of Botany, S. S. Jaiswal Arts, Comm. and Science College, Arjuni (Mor), Gondia, India.

<sup>2</sup>Department of Botany, Nutan Adarsh Arts, Commerce and M. H. Wegad Science College, Umrer, Dist – Nagpur.

**Corresponding Author: Borkar Laxmikant**

Department of Botany, S. S. Jaiswal Arts, Comm. and Science College, Arjuni (Mor), Gondia, India.

Article Received on 25/03/2021

Article Revised on 15/04/2021

Article Accepted on 05/05/2021

### ABSTRACT

The present investigation was undertaken to determine the chemical analysis of 4 summer honey samples (CHN-WAR-NEL, CHN-WAR-SOT, CHN-WAR-MAI, CHN-WAR-AMF) collected from forest area of Warora Tahsil of Chandrapur District of Maharashtra State (India). These samples were analysed for several parameters such as moisture, total reducing sugar, Levulose or Fructose, Dextrose or Glucose, L/D ratio, Sucrose, Acidity. This type of chemical analysis favours the utilization of the honey for good quality in this area.

**KEYWORDS:** Chemical Analysis, Summer Honey, Warora Tahsil.

### INTRODUCTION

Honey is a carbohydrate rich naturally complex product produced by honey bees from floral nectar. Honey has been used by all civilizations as nutrient food and in traditional medicine. The quality of honey depends on various physiological factors such as climate, soil, etc. Honey contains Sugar, Protein, Moisture, Vitamins, Minerals, Enzymes, Polyphenols and Flavonoids (Al – Manary *et al.*, 2002) because of this unique complex nature, honey is proved to be useful in the treatment of burns, wounds, skin ulcers as an antioxidant and in the treatment of external eye diseases (Balasubramanyam, 2011). Furthermore, honey is a highly valuable ingredient in condiments, beverage, sauces and sweets. In fact numerous studies have been reported on physical, chemical and melissopalynological parameter of honeys from all over the world. (Adenken *et al.*, 2010; Anklam, 1998; Cherian *et al.*, 2011; Borkar Laxmikant and Mate Devendra, 2014; Downey *et al.*, 2005; Ramnath nad Shivaramm, 2012, Terrab *et al.*, 2002; Xesus *et al.*, 2010). The scientific literature revealed that the information is not available with respect to chemical characteristics of honeys from Warora Tahsil of Chandrapur District of Maharashtra State in India. The purpose of this study has to investigate some chemical parameters such as Moisture, Total Reducing Sugar, Levulose or Fructose, Dextrose or Glucose, Levulose/Dextrose, Sucrose, Acidity and Microscopical analysis of honey collected from different regions of

Warora Tahsil of Chandrapur District of Maharashtra State in India.

### MATERIAL AND METHODS

Chemical analysis of the honeys are carried out by using Indian Standard Specification, IS: 4941 (1974) and IS: 8464 (1977). The percentage of Total Reducing Sugar, (Levulose or Fructose + Dextrose or Glucose), Levulose, Dextrose, Sucrose, Acidity, Moisture and L/D ratio were estimated.

### RESULTS AND DISCUSSION

The chemical properties of the 4 summer honey samples (Viz. CHN-WAR-NEL, CHN-WAR-SOT, CHN-WAR-MAI, CHN-WAR-AMF) from Warora Tahsil of Chandrapur District of Maharashtra State are reported in table.

**Table: Chemical Analysis of honey samples obtained from Warora Tahsil of Chandrapur District.**

Parameter								
Sr. No.	Location of Parameter	Moisture %	Total Reducing Sugar %	Levulose or Fructose %	Dextrose or Glucose %	L/D Ratio	Sucrose %	Acidity %
1	CHN-WAR-NEL	21	73.214	36.748	36.466	1.118	0.837	0.2944
2	CHN-WAR-SOT	20.3	75.675	46.508	30.157	1.791	0.8590	0.2879
3	CHN-WAR-MAI	22	73.240	36.758	36.472	1.118	0.837	0.244
4	CHN-WAR-AMF	23	66.847	31.282	35.565	1.098	1.411	0.3565

In the present study moisture content in the sample ranges from 20.3 – 23

Increase in the temperature moisture is low and decrease the temperature moisture is high. Increase in moisture content of honey is also indicative of adulteration. The low moisture content of honey forms an important part of the system which protect honey from attack by microorganism.

#### Sugars

Honey consists of mostly Glucose and Fructose. The actual proportion of Fructose to Glucose in any particular honey, depends largely on the sources of the nectar. All samples contained more Fructose than Glucose.

This indicated that Warora honeys would be less prone to granulation Fructose level in honey is higher than that of Glucose. Honey with high Fructose to Glucose ratio would remain liquid for longer period. The Fructose/Glucose ratios may have an impact on honey flavour, since fructose is much sweeter than glucose.

#### Acidity

Acidity of the honey sample ranges by 0.244 to 0.3565 respectively. Acidity values may indicate the fermentation of honey sugar by yeast.

#### REFERENCES

- Adenekan, MO, Amusa NA, Lawal AO, Okpeze VE. Physicochemical and microbiological properties of honey samples obtained from Bada, Journal of Microbiology and Antimicrobials, 2010; 2(8): 100-104.
- Al ML, Danial DJ, Moise A, Bebis O, Lasio L, Bogedanov S. Phycochemical and bioactive properties of different floral origin honeys from Romania. Food Chemistry, 2002; 112; 863-867.
- Anklam EA. A review of the analogical and botanical origin of honey, Food Chemistry, 1998; 63: 549 – 562.
- Balsubramanyam MV. Chemical Characteristics of much floral wild and apiary honeys from Western Ghats of Karnataka. The Bioscan, 2011; 6: 467 – 469.
- Borkar Lamikant and Mate Devendra. Chemical Analysis of Summer Honeys collected from Apis doersata hives of Bhadrawati Tahsil of Chandrapur District of Maharashtra State (India), Int. Res. J. of Sci. & Engg., 2014; 2 (4): 139\_141.
- Cherian KJ Bhowal M and Godghate SD. Pollen and physicochemical analysis of honey produced by Apis cerana indica of Nagpur, Maharashtra (INDIA). Journal of Environmental Research and Development, 2011; 5(3): 542-550.
- Downey GJ, Hussey K, Kelly JD, Walshe TF and Martin PG. Preliminary contribution to the characteristics of artisanal honey produced on the island of Ireland by palynological and physico – chemical data. Food Chemistry, 2005; 91: 347-354.
- IS: 4941-1974 Indian Standard Specification for extracted honey (First Revision), Indian Standards Institution, 1974; 1-16.
- IS: 8464-1977 Indian Standard Specification for Squeezed honey, Indian Standards Institution, 1977. New Delhi: 1-8.
- Ramnath Subharani and Venkataramegouda Sivaramm physicochemical and pollen analysis of Western ghats honey of Karnataka south, India. I.J. S.N., 2012; 3(4): 831- 835
- Terrab AJ, Diez MJ and Heredia FJ. Characterization of Moroccan unifloral honeys by their physicochemical characteristics. Food Chemistry, 2002; 79: 373 – 379.
- Xesus FJ, Jose P, Maria LE, Antonio I and Jose PA. Palynological and physicochemical data characterization of honeys produced in the Entre – Douro e Munho region of Portugal, International Journal of food Science and Technology, 2010; 45: 1255-1262.