



ROLE OF JALAUKA VCHARANA IN NETRAROGA

*Prof. Shital Meshram

Assistant Professor Dr. Shital Meshram Dr. Rajendra Gode Ayurveda College, Hospital & Research Centre, Annravati.

Corresponding Author: Prof. Shital Meshram

Assistant Professor Dr. Shital Meshram Dr. Rajendra Gode Ayurveda College, Hospital & Research Centre, Annravati.

Article Received on 17/01/2023

Article Revised on 08/02/2023

Article Accepted on 28/02/2023

ABSTRACT

Raktamokshan is the procedures of Panchakarma which helps to eliminate vitiated dosha that accumulate in the body. Jalaukavcharana is the types of Raktamokshan which is practiced globally in India since ancient times. A detailed description on Jalaukavcharana is available in Ayurveda. It is used in management of various diseases in all the systems of the body including ears, nose, throat, eyes and head. Now a day's Leeches are also used by ophthalmologists to treat inflammatory, traumatic processes and various diseases of eyes. According to Ayurveda, the diseases of eyes were caused due to vitiation of tridoshas. Jalaukavcharana i.e. leech application is a type of bloodletting therapy. It removes some of these toxins and vitiated doshas which are accumulated in the body. Various bioactive substances are present in saliva of leech. Along with that, it also exerts a therapeutic effect in several diseases. Though despised by most, medicinal leeches can be of immense benefit that may help people to surmount numerous health disorders. Jalaukavcharana is very effective ancient method of Panchakarma neglected by physician. There are many side effects of modern medicine. So it is the need to spread awareness about Jalaukavcharana and its efficacy. Thus Jalaukavcharana is the alternative therapy promising more effective and safer outcomes for the society.

KEYWORDS: Raktamokshana, Jalaukavcharana, netraroga, hirudin.

INTRODUCTION

Lord Dhanvantari with leech in his hand indicates the importance of leech therapy in Ayurveda. The word leech is derived from 'leech' which means physician. Leeches are given the name Jalauka because of their site of dwelling and the source of their nutrition is blood. It was used to treat a wide range of ophthalmic diseases, becoming a standard treatment for almost every ailment. It was practiced prophylactically as well as therapeutically. It also recommended for acne, asthma, cancer, coma, convulsions, diabetes, epilepsy, gangrene, gout, herpes, indigestion, leprosy, stroke and many other diseases. It also infers the importance of Hirudotherapy in the medical practice. In Ayurveda, bloodletting therapies through leeches are used in management of various disorders, especially which are caused due to vitiation of pitta and Kapha dosha.

Leech application is also known as hirudo-therapy and leech therapy. This therapy is practiced in diverse countries like India, China, Germany, England, America, France, Hungary, Ukraine, Russia, Romania, Africa etc.

Leeches are segmented worms that belong to the phylum Annelida. Though Charaka has not incorporated Raktamokshan in the group of Panchakarma, mentioned

the references of Raktamokshan for the management of fever (fever), Gultna (abdominal tumor), Kushta (skin disorders), Arshas (piles), Vitis (herpes) and Vata (gout) etc. He suggests the comprehensive knowledge about bloodletting therapy.

AIM AND OBJECTIVES

To reveal the role of Jalaukavcharana in Netraroga since antiquity.

To do analytical study of Jalaukavcharana in Netraroga mentioned in Ayurveda.

MATERIAL AND METHODS

The data was collected from Ayurveda text books, Vaidyas and through personal experiences. The use of leeches in medicine dates beyond many years ago. The use of leeches in modern medicine made its comeback in the 1980s. Now a day's leeches are used in microsurgeries like cosmetic surgeries and many eye diseases.

Types of leeches

In Sushruta Samhita, diseases of Netraroga and their treatment is described in Uttartantra in detail. Raktamokshan is included in Panchakarma by Sushruta.

In Susruta Samhita, 12 types of leeches are found and classify them into two main categories i.e. non-poisonous leeches (nirvisha falauka) and Poisonous leeches (savisha jalauka). Non-poisonous leeches include Kapila, Pingalai Shankamukhi, Mushika, Pundarikamukhi and Savarika. Whereas Krushna, Karbura, Atagarda, Indrayudha, Samudrika and Gochandana are categorized under poisonous leeches.

Today some of the leeches used in medicine are *Hirudo medicinalis*, *Hirudo verbena*, *Hirudo orientalis*, *Hirudo troctina*, *Hirudinaria tnanillensis*, *Macrobdella decors*, *Haementeria officinalis*, *Hirudo michaelsoni*, *Haementeria ghillanii*.

Contraindications of leech application

According to Ayurveda, leech application (bloodletting therapy) should not be performed in patients suffering from generalized anasarca (Sarwanga Shoph), kshina (emaciated), shosha (swelling), panda (anemia), udara (ascitis) and also in garbhini (pregnancy).

Collection of leeches

According to Susruta Samhita, leeches should be collected from ponds or lakes with the help of piece of wet leather. According to Charaka Samhita, best time for collection of leeches is autumn season. In autumn, water become hot during day time due to exposure to sun, cools in the night and is well detoxified. A popular method is collecting leeches in certain regions is by using a large tin can. The bait, a head of fish or piece of raw chicken is kept inside the can. The top of the can is crushed leaving the mouth opening of an inch or two wide.

Selection of leeches

According to Susruta Samhita leeches which are having an expanded middle part of the body (sthumadhy), ugly (purl/dish/4a), flat and dull in movement (prutvyo mandacheshta), do not grieve (bite) well (wrahi), they suck only a small quantity of blood (alpapani). Poisonous leeches (savisha) are not suitable for leech therapy. The leeches who are bulky (maha sharira), stout (balavatya), gluttonous (mahashana) fast blood suckers (shighotipavinyo) which moves quickly live in fresh water and of non poisonous varieties are suitable for application.

Storage of leeches

According to Susruta Samhita, collected leeches should be stored in a new big wide pot containing clean water and mud from tanks or ponds. Powder of moss, dried meat and aquatic tubers should be given for rearing. Straw and aquatic plants should be provided for making their bed. After three days water should be changed and pot should be changed weekly. Nowadays, the leeches are kept in glass bottles or jars with a lid which prevents leeches from coming out. Small holes should be made in the lid to let in fresh air. It is better to fill the jar with water from their natural habitat.

Aquatic plants or grass is put into the jar. The water in the container is changed once a week. The leeches are not fed in order to make them hungry, and it is believed that this would enhance the sucking ability by leeches.

Purification of leeches for application

According to Ayurveda, medicinal leeches should be carefully identified and properly purified before using in falaukavacharan. Various methods are practiced by different physicians to purify leeches. According to Susruta Samhita, a paste prepared with mustard, turmeric and water should be applied on the body of the leech. They should then be kept in a vessel of water for about 4 minutes (muhtorta) till they get rid of their exhaustion.

According to Ashtanga Hrudaya, leeches should be purified by keeping them in medicated water. This may be prepared by mixing turmeric powder, uncooked rice water, buttermilk (wircra) for a short time. After purification, the leeches should be kept in pure water.

Netrarog samprapti

Prakupit tridoshas vitiated by hetusevana goes through urdwagami sirs of netra and produces darun Imetraroga.

Netra is the site of Aalochak pitta. The properties of pitta and mkta are same as they have aashrayasrayi bhay. In such condition, falaukavacharan is very useful in netraroga produced by mk tadushti and pittadushti.

In Ayurveda rakudhatu is told by Achatya shushruta which is very important for its feevniya function. So niktamokshan is useful in following netraroga.

Abhishyanda (Conjunctivitis), Adhimantha (glaucoma), Siraharsha (inflammation), Sirotpat (hyperemia), Puyalasao (dacrocystitis), Vatpatyay (ocular pain), A nyatovat (ocular pain), cashiq Akshipak (purulent Conjunctivitis), As/o ' A kshipak (Conjunctivitis).

Conjunctivitis

Inflammation of conjunctiva with discharge caused by infective organisms like bacteria, viruses and allergy.

The saliva of leeches also contains anesthetic substances which deaden pain on the site and also bacteria-inhibiting substances which inhibit the growth of bacteria. Bdelins is an anti-inflammatory agent in the leech's saliva act by inhibiting trypsin as well as plasmin. It also inhibits the action of the acrosin. Another anti-inflammatory agent is the eglins.

Glaucoma

Glaucoma is not a single disease. It has multifactorial aetiology and characterized by

Whenever there is block in drainage process intraocular pressure increases causing damage to optic nerve.

Leech therapy facilitates drainage of aqueous humor through the trabecular meshwork. As the leech suck peripheral blood it creates negative pressure in the vein present locally and facilitates drainage. A number of settings may be required depending upon the improvement of patient.

Hirudin also helps in reducing the blood's thickness, thereby promoting optimum blood flow and preventing

The risks associated with sluggish blood flow. Me patients who suffer from pain and In will feel relief from the anti-inflammatory and anesthetic effects of the leech's saliva.

Subconjunctival haemorrhage

Rupture of small capillaries of conjunctival vessels causes haemorrhage. It is common because the conjunctival vessels are loosely supported.

The leech's saliva contains enzymes and compounds that act as an anticoagulation agent. The most prominent of these anticoagulation agents is hirudin, which binds its to thrombins, thus, effectively inhibiting coagulation of the blood. This effect is locally. Another compound that prevents coagulation is calin. This, on the other hand, works as an anticoagulant by prohibiting the von Willebrand factor to bind itself to collagen. and it is also an effective inhibitor of platelet aggregation caused by collagen.

Hematoma

Leeches are an excellent means to reabsorb hematoma within the eye range. This characteristic is very common in sport. such as boxing. Boxers (in the United States and other countries). have been using medicinal leeches. Current applications around so-called "blue eye" or violet eye, to heal the acute pain. Swelling and damaged tissue. With the Application of medicinal leeches, the trauma, swelling, mostly disappears within a few days after the session.

Periorbital haematoma

One of the major features of leech therapy is the ability leeches have of extracting pooled blood. It also has an anti-edematous effect, which is especially helpful as a conservative measure to evacuate pooled blood as in the case of a periorbital hematoma. Hirudin. Binds itself to thrombins and thus effectively inhibiting blood coagulation.

Another compound that prevents coagulation is calin. This, on the other hand., works as an anticoagulant by prohibiting the von Willebrand factor to bind itself to collagen, and it is also an effective inhibitor of platelet aggregation caused by collagen.

Numerous researches like Germany, Russia and UK in the last years are referring to the successful results of the leech therapy with the most different eye diseases. Leeches are used by ophthalmologists and physiotherapists, to treat inflammatory and traumatic processes such as In of the eyes, keratitis, chorioretinitis, peri orbital hematoma, to degeneration, diabetic retinopathy, retinitis, subretinal hemorrhage., glaucoma and cataract. The leech therapy may be helpful in the following diseases having inflammation of eyes i.e. Scleritis, Chorioiditis, Chorioretinitis, retinoiditis, rridocyclitis, Keratoiditis, Retrobulbarneuritis.

The saliva of the leeches also contains Factor Xa inhibitor which also blocks the action of the coagulation factor Xa. Modern days with the revival of leech application. this method or treatment is practiced on periorbital hematoma, glaucoma, eye inflammation such as chorioretinitis, conjunctivitis, keratitis and scleritis, sudden hearing loss, tinnitus, otitis media, gum diseases

DISCUSSION

Jalaukavcharana removes not only blood from the body, but also injects biologically active substances which help to manage various disorders. According to Ayurveda, diseases are occurred by vitiation of dosha. The vitiated dosha can get accumulated in vatas which causes blockages and may lead to the diseases. An diseases could be treated with leech application. It is useful in treating a number of cardiovascular diseases:

By atherosclerosis, hypercoagulation myocardial infarctions, varicose veins, arterial blood flow disorders in lower limbs and their complications, such as trophic lesions and oedemas and also haemorrhoids. it is also helpful in managing gynaecological disorders by reducing inflammation processes in the uterus and its ovarian cysts, endometriosis, climacteric syndrome, various adhesions in the pelvis and even in cases of frigidity, infertility and mastopathy. The application of leeches is successful in treating prostate and scrotal diseases. Erectile dysfunctions and urinary tract inflammations.

Good results can be achieved using leeches to treat headaches of various origins, including, migraine. Neurologists should consider leech therapy in the treatment of neuritis, neuralgia, radiculitis, spinal disorders, brain atherosclerosis, pre-stroke conditions and stroke. It can lower blood sugar levels and improve pancreatic function. Leeches can be effectively used in the integrated treatment of diabetes and its complications. Fariatikavch (ovna) have reported improvements in sleep quality, mood, work capacity, and increased energy levels.

The probable mode of action of jalauka is purification of the body by removing deeply seated toxins and pacifying vitiated dosha. A healthy cell gets sick when; it is deprived of needed oxygen and nutrition and is unable to

remove toxins accumulated during metabolism. Biologically active substances in leech saliva help the cells to absorb necessary nutrition and eliminate toxins.

CONCLUSION

Alaukaveharana is described under Raktarnokshan of Panchakarma in Ayurveda. It is one of the very effective treatment modality for treating various Neti a mga as well as in many systemic diseases. It helps to treat Abhishyanda (Conjunctivitis), Adhimantha (glaucoma), Sioiaharsha (inflammation), Sirotapat (hyperemia), Puyalaso (dacroepistitis), Vatparyay (ocular pain), Anyatovat (ocular pain), Sash of Akshipak (purulent Conjunctivitis), Ashofkshipak (Conjunctivitis).

When a leech is applied to biologically active areas of the human body, the bite itself gives a positive effect. According to modern science, leech's saliva contains Hirudin Hyaluronidase enzyme which acts as anticoagulant. Local anaesthetic, Anti-inflammatory Vasodilator, Anti thrombotic, Hypotensive and Analgesic effect. Hence, more efforts should be undertaken to optimize this utilization. More clinical trials are required to assess leech efficacy and safety in the treatment of eyes.

REFERENCES

1. I Susruta Samhita by Kaviraj Ambikadatta Shaslitri; Part I. Sutrasthana, Jalaukavacharaniy adhyaya 1319, Reprint Edition, Choulthamba Prakashan Sanskrit sansthan Varanasi, 43.
2. "Critical Study of Raktamokshana s r+ to Charyk Samhita" article published in IMAR, 2005; I(III): 1-6.
3. Gilbert R. Seigworth, M.D. bloodletting over the centuries, New or state Journal of Medicine, 1980; 2022-2080.
4. Charak Samhita by drudhabala, editor translator by Prof. Priyavat Sharma, volume II, Chaukhambha Orientalia, Reprint Edition. Printed by Charu printers, Varanasi, Chikitsasthan, 2008; 21/ 69: 350.
5. Sarth Vagbliata by Ganesh Krushna Garade, Choukhanmha surbharati prakashana Varanasi, alition reprint 2014, Sutrashathan chap, 26/29: 102.
6. Susruta Sarnhita by Kaviraj Ambikadatta Shaslitri; Part I, Sutrasthana, Jalaukavacharaniy Adliyaya 14/24 Reprint Edition, Choukhan-lba Prakashan Sanskrit Sansthan Varanasi, 2005; 53.
7. Susruta Samhita by Kaviraj Ambikadatta Shaslitri; Part I, Sutrasthana Jalaukavacharaniy adliyaya 13/14, Reprint Edition, Choulthamba Prakashan Sanskrit Sansthan Varanasi, 2005; 44.
8. Sushrut samhita, Uttartantra by Hetnanta Panigrahi, Vol I. Chountha Orientalia, First Edition, 2005; 1120: I5.
9. Ophthalmology by AK. Khurana, New age international publication, 3rd edition, 2007; 4: 81.
10. Comprehensive Ophthalmology by A. K. Khurana, New age international publication, 4th edition 2CH, 17; 9: 210,211
11. Clinical ophthalmology by Jack .1 Kanski, 5[1'International Edition, Butterworth Heinemann publication Newyork, 2003; 8: 170.
12. Review on leech application in Ayurveda and RSS Shr E. H. ilankan traditional medicine, by Edfriveera, article published in JAHM, II(I): 62-76
13. Parsons Diseases of the Eye, Revised by Ramanjit Sihota Radhika Tondon, 20(18): 261 to 262.
14. Whitaker IS, Rao J, I2adi D, Butler PE. Historical article: I lirudo edit-Mails; Ancient origins of and wends in the use of medicinal leeches throughout history. Br .1 Oral Maxillofac Sorg, 2004; 42: 133-7 [PubMed],
15. Baskova IF, Korostelev AN, Chirkova LD, Zavalova LL, Basanova AV, Doutremepuich C. Piyavit from the medicinal. leech is a new orally active anticoagulating and antithrornbotic drug. Clin April Throe b Flemost, 1997; 3: 40-5.